

Application No. 10/603,449

**AMENDMENTS TO THE SPECIFICATION:**

Please substitute the following amended paragraph for the pending paragraph beginning on page 1, line 7:

Illustrated in copending application U.S. Serial No. ~~(not yet assigned—D/A3067)~~ 10/606,330, U.S. Publication No. 2004/0265728, filed concurrently herewith, the disclosure of which is totally incorporated herein by reference, is a toner process comprised of heating a mixture of an acicular magnetite dispersion, a colorant dispersion, a wax dispersion, a first latex containing a crosslinked resin, and a second latex containing a resin free of crosslinking in the presence of a coagulant to provide aggregates, stabilizing the aggregates with a silicate salt dissolved in a base, and further heating the aggregates to provide coalesced toner particles.

Please substitute the following amended paragraph for the pending paragraph beginning on page 1, line 16:

Illustrated in copending application U.S. Serial No. ~~(not yet assigned—D/A3069)~~ 10/606,298, filed concurrently herewith, the disclosure of which is totally incorporated herein by reference, is a toner process comprised of a first heating of a mixture of an aqueous colorant dispersion, an aqueous latex emulsion, and an aqueous wax dispersion in the presence of a coagulant to provide aggregates, adding a base followed by adding an organic sequestering agent, and thereafter accomplishing a second heating, and wherein the first heating is below about the latex polymer glass transition temperature (T<sub>g</sub>), and the second heating is about above the latex polymer glass transition temperature.

Application No. 10/603,449

Please substitute the following amended paragraph for the pending paragraph beginning on page 1, line 26:

Illustrated in copending application U.S. Serial No. ~~(not yet assigned — D/A3120)~~ 10/603,321, U.S. Publication No. 2004/0265729, filed concurrently herewith, the disclosure of which is totally incorporated herein by reference, is a toner process comprised of heating a mixture of an acicular magnetite dispersion, a colorant dispersion, a wax dispersion, a first latex containing a crosslinked resin, a second latex containing a resin substantially free of crosslinking, a coagulant and a silica, and wherein the toner resulting possesses a shape factor of from about 120 to about 150.